

# SAFETY DATA SHEET

Issue Date 04-Mar-2019 Revision Date Version 8.500001 Page 1 / 17

04-Mar-2019

## 1. IDENTIFICATION

Product identifier

Product Name Digestion Solution for COD 3-150 mg/L Range

Other means of identification

Product Code(s) 2125825

Safety data sheet number M00486

UN/ID no UN1830

Recommended use of the chemical and restrictions on use

**Recommended Use** Determination of Chemical Oxygen Demand. Laboratory Use.

Uses advised against Consumer use.

**Restrictions on use** For Laboratory Use Only.

## Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Corrosive to metals               | Category 1 |
|-----------------------------------|------------|
| Acute toxicity - Oral             | Category 4 |
| Acute toxicity - Dermal           | Category 3 |
| Skin corrosion/irritation         | Category 1 |
| Serious eye damage/eye irritation | Category 1 |
| Aquatic Acute Toxicity            | Category 1 |
| Chronic aquatic toxicity          | Category 1 |

### Hazards not otherwise classified (HNOC)

Data insufficient for GHS classification but significant enough for mention suggests:

CANCER HAZARD. STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID CAN CAUSE CANCER. Inhalation of low concentrations of sulfuric acid may result in airway irritation such as cough and shortness of breath; high concentrations may result in acute effects such as cough.

## Label elements

### Signal word

EN / AGHS Page 1/17

**Product Name** Digestion Solution for COD 3-150 mg/L Range **Revision Date** 04-Mar-2019

Page 2 / 17

## Danger



#### **Hazard statements**

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

P273 - Avoid release to the environment

P391 - Collect spillage

P234 - Keep only in original container

P390 - Absorb spillage to prevent material damage

P270 - Do not eat, drink or smoke when using this product

## Other Hazards Known

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substance

Not applicable

## <u>Mixture</u>

Chemical Family Mixture.

**Chemical nature** Aqueous solution of inorganic acids and salts.

#### Percent ranges are used where confidential product information is applicable.

| Chemical name | CAS No. | Percent | HMRIC #  |
|---------------|---------|---------|----------|
|               |         |         |          |
| EN. / A DUID  |         | _       | 0/4-     |
| EN / AGHS     |         | Pa      | ige 2/17 |

Product Name Digestion Solution for COD 3-150 mg/L Range

Revision Date 04-Mar-2019

**Page** 3 / 17

|                                       |            | Range    |   |
|---------------------------------------|------------|----------|---|
| Sulfuric acid                         | 7664-93-9  | 80 - 90% | - |
| Sulfuric acid, mercury(2+) salt (1:1) | 7783-35-9  | <1%      | - |
| Sulfuric acid, disilver(1+) salt      | 10294-26-5 | <1%      | - |
| Chromic acid (H2CrO4)                 | 7738-94-5  | <0.1%    | - |

## 4. FIRST AID MEASURES

#### Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

advice/attention.

**Eye contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical advice/attention.

**Skin contact** Get immediate medical advice/attention. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Get immediate medical

advice/attention.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

Indication of any immediate medical attention and special treatment needed

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

### 5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the The product cause

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous combustion products This material will not burn.

EN / AGHS Page 3/17

**Product Name** Digestion Solution for COD 3-150 mg/L Range **Revision Date** 04-Mar-2019

Page 4 / 17

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### **6. ACCIDENTAL RELEASE MEASURES**

U.S. Notice Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive

material. Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using

this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

Flammability class Not applicable

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

EN / AGHS Page 4/17

**Product Name** Digestion Solution for COD 3-150 mg/L Range

Revision Date 04-Mar-2019

**Page** 5 / 17

### **Exposure Guidelines**

| Chemical name                         | ACGIH TLV                           | OSHA PEL                                 | NIOSH                              |
|---------------------------------------|-------------------------------------|--|------------------------------------|
| Sulfuric acid                         | TWA: 0.2 mg/m <sup>3</sup> thoracic | TWA: 1 mg/m <sup>3</sup>                 | IDLH: 15 mg/m <sup>3</sup>         |
| CAS#: 7664-93-9                       | particulate matter                  | (vacated) TWA: 1 mg/m <sup>3</sup>       | TWA: 1 mg/m <sup>3</sup>           |
| Sulfuric acid, mercury(2+) salt (1:1) | TWA: 0.025 mg/m <sup>3</sup> Hg     | (vacated) Ceiling: 0.1 mg/m <sup>3</sup> | IDLH: 10 mg/m <sup>3</sup> Hg      |
| CAS#: 7783-35-9                       | S*                                  |  | Ceiling: 0.1 mg/m <sup>3</sup> Hg  |
|                                       |                                     |  | TWA: 0.05 mg/m <sup>3</sup> except |
|                                       |                                     |  | Organo alkyls Hg vapor             |
| Sulfuric acid, disilver(1+) salt      | TWA: 0.01 mg/m <sup>3</sup> Ag      | TWA: 0.01 mg/m <sup>3</sup>              | IDLH: 10 mg/m <sup>3</sup> Ag      |
| CAS#: 10294-26-5                      |                                     | (vacated) TWA: 0.01 mg/m <sup>3</sup>    | TWA: 0.01 mg/m <sup>3</sup> Ag     |
| Chromic acid (H2CrO4)                 | NDF                                 | TWA: 5 µg/m³                             | TWA: 0.0002 mg/m <sup>3</sup> Cr   |
| CAS#: 7738-94-5                       |                                     | (vacated) Ceiling: 0.1 mg/m <sup>3</sup> | _                                  |
|                                       |                                     | Ceiling: 0.1 mg/m <sup>3</sup>           |                                    |

Appropriate engineering controls

**Engineering Controls** 

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hand Protection** Wear suitable gloves. Impervious gloves.

**Eye/face protection** Face protection shield.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

General Hygiene Considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not

allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

Appearance<br/>OdorTurbid solutionColor<br/>Odor thresholdlight orange<br/>Not applicable

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight Not applicable

**pH** < 0.5

Melting point/freezing point ~ 4 °C / 39.2 °F

Boiling point / boiling range ~ 232 °C / 449.6 °F

EN / AGHS Page 5/17

Product Name Digestion Solution for COD 3-150 mg/L Range

Revision Date 04-Mar-2019

**Page** 6 / 17

**Evaporation rate** 1.04 (water = 1)

Vapor pressure 1.8 mm Hg  $\,/\,$  0.24 kPa at 25 °C  $\,/\,$  77 °F

Vapor density (air = 1) 0.03 (air = 1)

Specific gravity (water = 1 / air = 1) 1.78

Partition Coefficient (n-octanol/water) Not applicable

**Soil Organic Carbon-Water Partition** 

Coefficient

Not applicable

Autoignition temperature No data available

**Decomposition temperature** 300 °C / 572 °F

**Dynamic viscosity**  $\sim 25 \text{ cP (mPa s)}$  at  $20 \,^{\circ}\text{C}$  /  $68 \,^{\circ}\text{F}$ 

Kinematic viscosity  $\sim 14.045 \text{ cSt (mm}^2\text{/s)}$  at 20 °C / 68 °F

Solubility(ies)

## Water solubility

| Water solubility classification | Water solubility_ | Water Solubility Temperature |
|---------------------------------|-------------------|------------------------------|
| Soluble                         | > 1000 mg/L       | 25 °C / 77 °F                |

### Solubility in other solvents

| Chemical Name | Solubility classification | Solubility        | Solubility Temperature   |
|---------------|---------------------------|-------------------|--------------------------|
| None reported | No information available  | No data available | No information available |

## **Other Information**

## **Metal Corrosivity**

Classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate4.88 mm/yr / 0.19 in/yrAluminum Corrosion Rate55.4 mm/yr / 2.18 in/yr

#### **Volatile Organic Compounds (VOC) Content**

| Chemical name                         | CAS No.    | Volatile organic compounds (VOC) content | CAA (Clean Air Act) |
|---------------------------------------|------------|--|---------------------|
| Sulfuric acid                         | 7664-93-9  | No data available                        | -                   |
| Sulfuric acid, mercury(2+) salt (1:1) | 7783-35-9  | Not applicable                           | -                   |
| Sulfuric acid, disilver(1+) salt      | 10294-26-5 | No data available                        | -                   |
| Chromic acid (H2CrO4)                 | 7738-94-5  | No data available                        | -                   |

#### **Explosive properties**

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point No data available

### Flammability Limit in Air

EN / AGHS Page 6/17

Product Code(s) 2125825 Product Name Digestion Solution for COD 3-150 mg/L Range

Issue Date 04-Mar-2019 Revision Date 04-Mar-2019

**Version** 8.500001 **Page** 7 / 17

Upper flammability limitNo data availableLower flammability limitNo data available

Oxidizing properties No data available.

Bulk density No data available

### 10. STABILITY AND REACTIVITY

#### Reactivity

Not applicable.

#### Chemical stability

Stable under normal conditions.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous polymerization**

Hazardous polymerization does not occur.

### Conditions to avoid

Exposure to air or moisture over prolonged periods.

## Incompatible materials

Oxidizing agent. Acids. Bases.

### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

### **Information on Likely Routes of Exposure**

#### **Product Information**

**Inhalation** Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact** May cause irritation. Toxic in contact with skin.

**Ingestion** Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May

cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

EN / AGHS Page 7/17

Revision Date 04-Mar-2019

Product Name Digestion Solution for COD 3-150 mg/L Range

Page 8 / 17

**Symptoms** 

Redness. Burning. May cause blindness. Coughing and/ or wheezing.

**Acute toxicity** 

Based on available data, the classification criteria are not met

**Product Acute Toxicity Data** 

Test data reported below.

## **Oral Exposure Route**

| Endpoint type    | Reported dose | Toxicological     | Key literature references and sources for data |
|------------------|---------------|-------------------|--|
| Rat              | 360 mg/kg     | effects           | Outside testing                                |
| LD <sub>50</sub> |               | Behavioral        | _  |
|                  |               | Salivation        |  |
|                  |               | Sedation          |  |
|                  |               | Vocalization      |  |
|                  |               | Chronic           |  |
|                  |               | Death             |  |
|                  |               | Eye               |  |
|                  |               | Ptosis            |  |
|                  |               | Gastrointestinal  |  |
|                  |               | Corrosion of the  |  |
|                  |               | stomach           |  |
|                  |               | Enteritis of the  |  |
|                  |               | intestines        |  |
|                  |               | Liver             |  |
|                  |               | Adhesion of the   |  |
|                  |               | liver to the      |  |
|                  |               | stomach           |  |
|                  |               | Lungs, Thorax,    |  |
|                  |               | or Respiration    |  |
|                  |               | Congestion of the |  |
|                  |               | lungs             |  |
|                  |               | Respiratory       |  |
|                  |               | depression        |  |
|                  |               | Nasal discharge   |  |
|                  |               | Skin and          |  |
|                  |               | Appendages        |  |
|                  |               | Piloerection      |  |

**Inhalation (Gas) Exposure Route** 

## **Ingredient Acute Toxicity Data**

No data available.

| Chemical name  | Endpoint type           | Reported dose    | Exposure time    | Toxicological effects  | Key literature references and sources for data                 |
|--|-------------------------|------------------|------------------|--|--|
| Sulfuric acid,<br>mercury(2+) salt (1:1)<br>(<1%)<br>CAS#: 7783-35-9 | None<br>reported        | None<br>reported | None<br>reported | None reported  | No information available                                       |
| Sulfuric acid,<br>disilver(1+) salt<br>(<1%)<br>CAS#: 10294-26-5     | Rat<br>LD <sub>50</sub> | > 5000 mg/kg     | None<br>reported | None reported  | Vendor SDS   |
| Chromic acid<br>(H2CrO4)<br>(<0.1%)<br>CAS#: 7738-94-5               | Rat<br>LD₅o             | 80 mg/kg         | None<br>reported | Lungs, Thorax, or Respiration Cyanosis Gastrointestinal Hypermotility Diarrhea | RTECS (Registry of Toxic<br>Effects of Chemical<br>Substances) |

EN / AGHS Page 8/17

Product Name Digestion Solution for COD 3-150 mg/L Range

Revision Date 04-Mar-2019

**Page** 9 / 17

| Chemical name  | Endpoint type    | Reported dose    | Exposure time    | Skin and Appendages Other changes Toxicological effects | Key literature references and sources for data |
|--|------------------|------------------|------------------|---|--|
| Sulfuric acid,<br>mercury(2+) salt (1:1)<br>(<1%)<br>CAS#: 7783-35-9 | None<br>reported | None<br>reported | None<br>reported | None reported   | No information available                       |
| Chemical name  | Endpoint type    | Reported dose    | Exposure time    | Toxicological effects                                   | Key literature references and sources for data |
| Sulfuric acid,<br>mercury(2+) salt (1:1)<br>(<1%)<br>CAS#: 7783-35-9 | None<br>reported | None<br>reported | None<br>reported | None reported   | No information available                       |
| Chemical name  | Endpoint type    | Reported dose    | Exposure time    | Toxicological effects                                   | Key literature references and sources for data |
| Sulfuric acid,<br>mercury(2+) salt (1:1)<br>(<1%)<br>CAS#: 7783-35-9 | None<br>reported | None<br>reported | None<br>reported | None reported   | No information available                       |

## **Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

## **Acute Toxicity Estimations (ATE)**

## The following values are calculated based on chapter 3.1 of the GHS document

| ATEmix (oral)                 | No information available |
|-------------------------------|--------------------------|
| ATEmix (dermal)               | 610.00 mg/kg             |
| ATEmix (inhalation-dust/mist) | 6.11 mg/L                |
| ATEmix (inhalation-vapor)     | No information available |
| ATEmix (inhalation-gas)       | No information available |

## **Skin corrosion/irritation**

Causes severe burns.

### **Product Skin Corrosion/Irritation Data**

No data available.

## **Ingredient Skin Corrosion/Irritation Data**

No data available.

| Chemical name  | Test method               | Species | Reported<br>dose | Exposure<br>time | Results                                | Key literature<br>references and<br>sources for data  |
|--|---------------------------|---------|------------------|------------------|--|---|
| Sulfuric acid<br>(80 - 90%)<br>CAS#: 7664-93-9                       | Existing human experience | Human   | None<br>reported | None<br>reported | Corrosive to skin                      | HSDB (Hazardous<br>Substances Data<br>Bank)   |
| Sulfuric acid,<br>mercury(2+) salt (1:1)<br>(<1%)<br>CAS#: 7783-35-9 | Existing human experience | Human   | None<br>reported | None<br>reported | Skin irritant                          | GESTIS (Information<br>System on Hazardous<br>Substances of the<br>German Social<br>Accident Insurance) |
| Sulfuric acid,<br>disilver(1+) salt<br>(<1%)<br>CAS#: 10294-26-5     | Standard Draize<br>Test   | Rabbit  | 500 mg           | 4 hours          | Not corrosive or<br>irritating to skin | ECHA (The European<br>Chemicals Agency)   |

Serious eye damage/irritation

EN / AGHS Page 9/17

Product Name Digestion Solution for COD 3-150 mg/L Range Revision Date 04-Mar-2019

Page 10 / 17

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

### **Product Serious Eye Damage/Eye Irritation Data**

No data available.

### Ingredient Eye Damage/Eye Irritation Data

No data available.

| Chemical name  | Test method               | Species | Reported<br>dose | Exposure<br>time | Results           | Key literature references and sources for data  |
|--|---------------------------|---------|------------------|------------------|-------------------|---|
| Sulfuric acid<br>(80 - 90%)<br>CAS#: 7664-93-9                       | Existing human experience | Human   | None<br>reported | None<br>reported | Corrosive to eyes | HSDB (Hazardous<br>Substances Data<br>Bank)   |
| Sulfuric acid,<br>mercury(2+) salt (1:1)<br>(<1%)<br>CAS#: 7783-35-9 | Existing human experience | Human   | None<br>reported | None<br>reported | Eye irritant      | GESTIS (Information<br>System on Hazardous<br>Substances of the<br>German Social<br>Accident Insurance) |
| Sulfuric acid,<br>disilver(1+) salt<br>(<1%)<br>CAS#: 10294-26-5     | Standard Draize<br>Test   | Rabbit  | 180 mg           | None<br>reported | Corrosive to eyes | ECHA (The European<br>Chemicals Agency)   |

## Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

### **Product Sensitization Data**

No data available.

## **Ingredient Sensitization Data**

No data available.

## STOT - single exposure

Based on available data, the classification criteria are not met.

## **Product Specific Target Organ Toxicity Single Exposure Data**

No data available.

## Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

|   | Chemical name   | Endpoint type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|---|-----------------|---------------|---------------|---------------|-----------------------|--|
| Γ | Sulfuric acid   | Human         | 0.144 mg/L    | 5 minutes     | Lungs, Thorax, or     | RTECS (Registry of Toxic                       |
| 1 | (80 - 90%)      | TDLo          |               |               | Respiration           | Effects of Chemical                            |
|   | CAS#: 7664-93-9 |               |               |               | Dyspnea               | Substances)                                    |

## **STOT - repeated exposure**

Based on available data, the classification criteria are not met.

## **Product Specific Target Organ Toxicity Repeat Dose Data**

No data available.

## Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

|   | Chemical name   | Endpoint<br>type | Reported dose | Exposure time | Toxicological effects | Key literature references and sources for data |
|---|-----------------|------------------|---------------|---------------|-----------------------|--|
| Ī | Sulfuric acid   | Human            | .003 mg/L     | 168 days      | Musculoskeletal       | RTECS (Registry of Toxic                       |
| 1 | (80 - 90%)      | TCLo             |               |               | Changes in teeth and  | Effects of Chemical                            |
|   | CAS#: 7664-93-9 |                  |               |               | supporting structures | Substances)                                    |

EN / AGHS Page 10/17

Revision Date 04-Mar-2019

Product Name Digestion Solution for COD 3-150 mg/L Range

Page 11 / 17

Carcinogenicity

Based on available data, the classification criteria are not met.

### **Product Carcinogenicity Data**

No data available.

## **Ingredient Carcinogenicity Data**

No data available.

| Chemical name               | CAS No.    | ACGIH | IARC    | NTP   | OSHA |
|-----------------------------|------------|-------|---------|-------|------|
| Sulfuric acid               | 7664-93-9  | A2    | Group 1 | Known | X    |
| Sulfuric acid, mercury(2+)  | 7783-35-9  | =     | Group 3 | =     | -    |
| salt (1:1)                  |            |       |         |       |      |
| Sulfuric acid, disilver(1+) | 10294-26-5 | -     | -       | -     | -    |
| salt                        |            |       |         |       |      |
| Chromic acid (H2CrO4)       | 7738-94-5  | -     | Group 1 | Known | X    |

### **Legend**

| ACGIH (American Conference of Governmental Industrial Hygienists)           | A2 - Suspected Human Carcinogen       |
|---|---------------------------------------|
| IARC (International Agency for Research on Cancer)                          | Group 1 - Carcinogenic to Humans      |
|   | Group 3 - Not classifiable as a human |
|   | carcinogen                            |
| NTP (National Toxicology Program)   | Known - Known Carcinogen              |
| OSHA (Occupational Safety and Health Administration of the US Department of | X - Present                           |
| Labor)  |                                       |

## **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

## Product Germ Cell Mutagenicity invitro Data

No data available.

## Ingredient Germ Cell Mutagenicity invitro Data

No data available.

| Chemical name                                  | Test                    | Cell Strain   | Reported dose | Exposure<br>time | Results                               | Key literature references and sources for data |
|--|-------------------------|---------------|---------------|------------------|---------------------------------------|--|
| Sulfuric acid<br>(80 - 90%)<br>CAS#: 7664-93-9 | Cytogenetic<br>analysis | Hamster ovary | 4 mmol/L      | None<br>reported | Positive test result for mutagenicity | No information available                       |

### Product Germ Cell Mutagenicity invivo Data

No data available.

## Ingredient Germ Cell Mutagenicity invivo Data

No data available.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

## **Product Reproductive Toxicity Data**

No data available.

## **Ingredient Reproductive Toxicity Data**

No data available.

| Chemical name | Endpoint type | Reported dose | Exposure time | Toxicological effects  | Key literature references and sources for data |
|---------------|---------------|---------------|---------------|------------------------|--|
| Sulfuric acid | Rabbit        | .02 mg/L      | 7 hours       | Specific Developmental | No information available                       |

EN / AGHS Page 11/17

**Product Name** Digestion Solution for COD 3-150 mg/L Range **Revision Date** 04-Mar-2019

Page 12 / 17

| (80 - 90%)      | TCLo |  | Abnormalities          |  |
|-----------------|------|--|------------------------|--|
| CAS#: 7664-93-9 |      |  | Musculoskeletal system |  |

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

**Unknown aquatic toxicity** 0% of the mixture consists of components(s) of unknown hazards to the aquatic

environment.

**Product Ecological Data** 

Aquatic Acute Toxicity
No data available.

**Aquatic Chronic Toxicity** 

No data available.

**Ingredient Ecological Data** 

**Aquatic Acute Toxicity** 

No data available.

| Chemical name             | Exposure time | Species             | Endpoint type    | Reported dose | Key literature references and sources for data        |
|---------------------------|---------------|---------------------|------------------|---------------|---|
| Sulfuric acid,            | 96 hours      | Pimephales promelas | LC <sub>50</sub> | 0.0012 mg/L   | GESTIS (Information System on                         |
| disilver(1+) salt         |               |                     |                  |               | Hazardous Substances of the<br>German Social Accident |
| (<1%)<br>CAS#: 10294-26-5 |               |                     |                  |               | Insurance)  |
| Chromic acid              | 96 hours      | None reported       | LC <sub>50</sub> | 0.0031 mg/L   | CEPA (Canadian Environmental                          |
| (H2CrO4)                  |               |                     |                  |               | Protection Agency)                                    |
| (<0.1%)                   |               |                     |                  |               |   |
| CAS#: 7738-94-5           |               |                     |                  |               |   |
| Chemical name             | Exposure      | Species             | Endpoint         | Reported      | Key literature references and                         |
|                           | time          |                     | type             | dose          | sources for data                                      |
| Sulfuric acid,            | 48 Hours      | Daphnia magna       | LC <sub>50</sub> | 0.00022 mg/L  | GESTIS (Information System on                         |
| disilver(1+) salt         |               |                     |                  |               | Hazardous Substances of the                           |
| (<1%)                     |               |                     |                  |               | German Social Accident                                |
| CAS#: 10294-26-5          |               |                     |                  |               | Insurance)  |

**Aquatic Chronic Toxicity** 

No data available.

## Persistence and degradability

**Product Biodegradability Data** 

No data available.

**Bioaccumulation** 

**Product Bioaccumulation Data** 

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

**Mobility** 

Soil Organic Carbon-Water Partition Coefficient Not applicable

EN / AGHS Page 12/17

**Product Name** Digestion Solution for COD 3-150 mg/L Range

Revision Date 04-Mar-2019

Page 13 / 17

#### Other adverse effects

Contains a substance with an endocrine-disrupting potential.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

US EPA Waste Number D002, D007, D009, D011

Special instructions for disposal Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility.

Dispose of material in an E.P.A. approved hazardous waste facility.

## 14. TRANSPORT INFORMATION

U.S. DOT

UN/ID no UN1830 Proper shipping name Sulfuric acid

Hazard Class 8
Packing Group ||

**Description** UN1830, Sulphuric acid, 8, II

Emergency Response Guide 137

Number

**TDG** 

UN/ID no UN1830
Proper shipping name Sulfuric acid

Hazard Class 8
Packing Group

**Description** UN1830, Sulphuric acid, 8, II

IATA

UN1830 Proper shipping name UN1830 Sulphuric acid

Hazard Class 8
Packing Group II
ERG Code 8L

**Description** UN1830, Sulphuric acid, 8, II

**IMDG** 

UN/ID no UN1830 Proper shipping name Sulphuric acid

Hazard Class 8
Packing Group II
EmS-No F-A, S-B

**Description** UN1830, Sulphuric acid (Sulfuric acid, disilver(1+) salt), 8, II, Marine Pollutant

**Note:** No special precautions necessary.

#### **Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

EN / AGHS Page 13/17

**Product Name** Digestion Solution for COD 3-150 mg/L Range **Revision Date** 04-Mar-2019

Page 14 / 17

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

### 15. REGULATORY INFORMATION

**National Inventories** 

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **International Inventories**

EINECS/ELINCS

ENCS
Does not comply
IECSC
KECL
PICCS
Complies

NZIoC Does not comply

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

**AICS** - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name  | SARA 313 - Threshold Values % |
|--|-------------------------------|
| Sulfuric acid (CAS #: 7664-93-9)                         | 1.0                           |
| Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9) | 1.0                           |
| Sulfuric acid, disilver(1+) salt (CAS #: 10294-26-5)     | 1.0                           |
| Chromic acid (H2CrO4) (CAS #: 7738-94-5)                 | 0.1                           |

#### SARA 311/312 Hazard Categories

| Acute health hazard               | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard             | Yes |
| Fire hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name                         | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority<br>Pollutants | CWA - Hazardous<br>Substances |
|---------------------------------------|--------------------------------|------------------------|------------------------------|-------------------------------|
| Sulfuric acid<br>7664-93-9            | 1000 lb                        | -                      | -                            | X                             |
| Sulfuric acid, mercury(2+) salt (1:1) | 10 lb                          | Х                      | -                            | Х                             |

EN / AGHS Page 14/17

Product Name Digestion Solution for COD 3-150 mg/L Range Revision Date 04-Mar-2019

Page 15 / 17

| 7783-35-9                   |       |   |   |   |
|-----------------------------|-------|---|---|---|
| Sulfuric acid, disilver(1+) | -     | X | - | - |
| salt                        |       |   |   |   |
| 10294-26-5                  |       |   |   |   |
| Chromic acid (H2CrO4)       | 10 lb | X | - | - |
| 7738-94-5                   |       |   |   |   |

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical name                   | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------------------|--------------------------|----------------|--------------------------|
| Sulfuric acid                   | 1000 lb                  | 1000 lb        | RQ 1000 lb final RQ      |
| 7664-93-9                       |                          |                | RQ 454 kg final RQ       |
| Sulfuric acid, mercury(2+) salt | 10 lb                    | -              | RQ 10 lb final RQ        |
| (1:1)                           |                          |                | RQ 4.54 kg final RQ      |
| 7783-35-9                       |                          |                | -                        |
| Chromic acid (H2CrO4)           | 10 lb                    | -              | RQ 10 lb final RQ        |
| 7738-94-5                       |                          |                | RQ 4.54 kg final RQ      |

### U.S. - DEA (Drug Enforcement Administration) List I & List II

|   | Chemical name   | U.S DEA (Drug Enforcement<br>Administration) - List I or Precursor<br>Chemicals | U.S DEA (Drug Enforcement<br>Administration) - List II or Essential<br>Chemicals |
|---|-----------------|---|--|
| Ī | Sulfuric acid   | Not Listed  | 50 gallon Export Volume (exports,  |
|   | (80 - 90%)      |   | transshipments and international   |
|   | CAS#: 7664-93-9 |   | transactions to designated countries)  |

## **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical name  | California Proposition 65 |
|--|---------------------------|
| Sulfuric acid (CAS #: 7664-93-9)                         | Carcinogen                |
| Sulfuric acid, mercury(2+) salt (1:1) (CAS #: 7783-35-9) | Developmental             |
| Chromic acid (H2CrO4) (CAS #: 7738-94-5)                 | Carcinogen                |
|  | Developmental             |
|  | Female Reproductive       |
|  | Male Reproductive         |

WARNING: This product can expose you to chemicals including Sulfuric acid, Chromic acid (H2CrO4), Sulfuric acid, mercury(2+) salt (1:1), which are known to the State of California to cause cancer or birth defects or reproductive harm. For more information, go to <a href="http://www.P65Warnings.ca.gov">http://www.P65Warnings.ca.gov</a>

IMERC: Contains Mercury Dispose of in accordance with local, state and federal regulations or laws.

## **U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations.

| Chemical name                    | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Sulfuric acid                    | X          | X             | X            |
| 7664-93-9                        |            |               |              |
| Sulfuric acid, mercury(2+) salt  | X          | X             | X            |
| (1:1)                            |            |               |              |
| 7783-35-9                        |            |               |              |
| Sulfuric acid, disilver(1+) salt | X          | -             | X            |
| 10294-26-5                       |            |               |              |

EN / AGHS Page 15/17

Product Name Digestion Solution for COD 3-150 mg/L Range

Revision Date 04-Mar-2019

Page 16 / 17

| Chromic acid (H2CrO4) | X | X | X |
|-----------------------|---|---|---|
| 7738-94-5             |   |   |   |

### **U.S. EPA Label Information**

| Chemical name | FIFRA    | FDA             |
|---------------|----------|-----------------|
| Sulfuric acid | 180.0910 | 21 CFR 184.1095 |

## 16. OTHER INFORMATION. INCLUDING DATE OF PREPARATION OF THE LAST REVISION

#### **Special Comments**

This product contains mercury and may be subject to reporting and recordkeeping requirements

### **Additional information**

#### Global Automotive Declarable Substance List (GADSL)

| Chemical name                         | Global Automotive Declarable Substance List Classifications | Global Automotive Declarable Substance List Thersholds |  |
|---------------------------------------|---|--|--|
| Sulfuric acid, mercury(2+) salt (1:1) | Declarable Substance (LR)                                   | 0.0 %  |  |
| 7783-35-9                             | Prohibited Substance (LR)                                   | 0.1 %  |  |
| Chromic acid (H2CrO4)                 | Declarable Substance (LR)                                   | 0.0 %  |  |
| 7738-94-5                             | Prohibited Substance (LR)                                   | 0.1 %  |  |

### **NFPA** and HMIS Classifications

|   | NFPA | Health hazards - 3 | Flammability - 0 | Instability - 0      | Physical and chemical properties - |
|---|------|--------------------|------------------|----------------------|------------------------------------|
| ſ | HMIS | Health hazards - 3 | Flammability - 0 | Physical hazards - 0 | Personal protection -              |
| - |      |                    |                  |                      | X I                                |

### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

**ACGIH** ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

## Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**TWA** TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

Χ Listed Vacated These values have no official status. The only

> binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN\* Skin designation SKN+ Skin sensitization Hazard Designation Respiratory sensitization RSP+ R С Reproductive toxicant Carcinogen

M mutagen

**Prepared By** Hach Product Compliance Department

**Issue Date** 04-Mar-2019

Page 16/17 EN / AGHS

**Product Name** Digestion Solution for COD 3-150 mg/L Range

Revision Date 04-Mar-2019

Page 17 / 17

Revision Date 04-Mar-2019

Revision Note SDS sections updated

2

## **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

**HACH COMPANY©2019** 

**End of Safety Data Sheet** 

EN / AGHS Page 17/17