

# SAFETY DATA SHEET

Version 6.2 Revision Date 07.06.2021 Print Date 09.06.2021

### SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifiers

Product name : Magnesium chloride hexahydrate

Product Number : M9272 Brand : SIGALD CAS-No. : 7791-18-6

### 1.2 Other means of identification

No data available

### 1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other

uses.

#### 1.4 Details of the supplier of the safety data sheet

Company : SIGMA-ALDRICH (M) SDN BHD

Level 3, Menara Sunway Annexe, Jalan Lagoon Timur, Bandar Sunway, 46150 PETALING JAYA, SELANGOR

**MALAYSIA** 

Telephone : +60 (603)03-563-53321Fax : +60 (603)03-563-54116

1.5 Emergency telephone

Emergency Phone # : 1-800-815-308 (CHEMTREC) \* + 62 0800

140 1253 (Customer Call Centre)

### Section 2: Hazard identification

### 2.1 GHS Classification

Classification according to CLASS regulations 2013

Not a hazardous substance or mixture.

### 2.2 GHS Label elements, including precautionary statements

Labelling according to CLASS regulations 2013

Pictogram none
Signal word none
Hazard statement(s) none
Precautionary none

statement(s)

Not a hazardous substance or mixture.

#### 2.3 Other hazards - none

### SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Substance

3.1 Substances

Formula :  $Cl_2Mg \cdot 6H_2O$ Molecular weight : 203.30 g/mol CAS-No. : 7791-18-6 EC-No. : 232-094-6

No components need to be disclosed according to the applicable regulations.

#### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas

Magnesium oxide

Not combustible.

Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

MERCK

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry.

Moisture sensitive. Hygroscopic.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls and personal protection**

### 8.1 Control parameters

### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

### **Personal protective equipment**

### **Eve/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odor No data availablec) Odor Threshold No data availabled) pH No data available

e) Melting point: 116.7 °C

point/freezing point

f) Initial boiling point and boiling range

No data available

g) Flash point Not applicableh) Evaporation rate No data available

i) Flammability (solid, The product is not flammable.

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure No data availablel) Vapor density No data availablem) Relative density No data available

n) Water solubility 468.7 g/l at 20 °C - OECD Test Guideline 105

o) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

p) Autoignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

s) Explosive properties No data available

t) Oxidizing properties No data available

# 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

no information available

#### 10.4 Conditions to avoid

Exposure to moisture may affect product quality. no information available

### 10.5 Incompatible materials

no information available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - female - > 5,000 mg/kg

(OECD Test Guideline 423) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: magnesium chloride

Symptoms: slight mucosal irritations

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: magnesium chloride

# Skin corrosion/irritation

Skin - In vitro study

Result: No skin irritation - 15 min

(Regulation (EC) No. 440/2008, Annex, B.46)

Remarks: (anhydrous substance)

SIGALD- M9272 Page 5 of 9



The value is given in analogy to the following substances: magnesium chlorideThe value is given in analogy to the following substances: Magnesium chloride hexahydrate

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h (OECD Test Guideline 405) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: magnesium chloride

# Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406) Remarks: (anhydrous substance)

The value is given in analogy to the following substances: magnesium chloride

### Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: magnesium chlorideTest Type: In

vitro mammalian cell gene mutation test Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: magnesium

chloride Carcinogenicity

No data available

#### Reproductive toxicity

No data available

# **Specific target organ toxicity - single exposure**

No data available

# Specific target organ toxicity - repeated exposure

No data available

### Aspiration hazard

No data available

### 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 54 d - NOAEL (No observed adverse

effect level) - > 1,000 mg/kg Remarks: Subacute toxicity (anhydrous substance)

The value is given in analogy to the following substances: magnesium chloride

RTECS: OM2975000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After uptake of large quantities:

Metal-fume fever after inhalation of large quantities.

Nausea Vomiting Diarrhea

Systemic effects:

drop in blood pressure Cardiac irregularities muscular weakness paralysis symptoms Tiredness

After absorption of large quantities:

cardiovascular disorders

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 2,119.3

mg/l - 96 h (US-EPA)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances:

magnesium chloride

Toxicity to daphnia

and other aquatic invertebrates

static test LC50 - Daphnia magna (Water flea) - 548.4 mg/l - 48 h

Remarks: (ECHA) (anhydrous substance)

The value is given in analogy to the following substances:

magnesium chloride

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - > 100

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 900 mg/l - 3 h

(OECD Test Guideline 209)

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13: Disposal information**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Please contact Kualiti Alam for waste classification and correct disposal method.

### **SECTION 14: Transportation information**

14.1 UN number

ADR/RID: - IMDG: - IATA-DGR: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA-DGR: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA-DGR: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA-DGR: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA-DGR: no

# 14.6 Special precautions for user

### 14.7 Incompatible materials

no information available

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Notification status** 

**DSL:** All components of this product are on the Canadian DSL

SIGALD- M9272 Page 8 of 9



ISHL: On the inventory, or in compliance with the inventory
ISHL: On the inventory, or in compliance with the inventory
KECI: On the inventory, or in compliance with the inventory
NZIOC: On the inventory, or in compliance with the inventory
PICCS: On the inventory, or in compliance with the inventory

#### SECTION 16: Other information

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



Page 9 of 9

SIGALD- M9272