

SAFETY DATA SHEET

Version 8.2 Revision Date 28.04.2021 Print Date 18.05.2021

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifiers

Product name : Protein Kit (Bradford Method) reagent

solution for approx. 200 determinations (0.01

- 1.4 mg/ml)

Product Number : 1.10306 Catalogue No. : 110306 Brand : Millipore

1,2 Other means of identification

No data available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.4 Details of the supplier of the safety data sheet

Company : Merck Sdn. Bhd.

Co. No: 178145

No. 4, Jalan U1/26, Section U1,

40150 HICOM GLENMARIE INDUSTRIAL PARK, SHAH ALA

MALAYSIA

Telephone : +60 (0)3-74943688Fax : +60 (0)3-74910850

1.5 Emergency telephone

Emergency Phone # : 1-800-815-308 (CHEMTREC) * + 62 0800

140 1253 (Customer Call Centre)

Section 2: Hazard identification

2.1 GHS Classification

Classification according to CLASS regulations 2013

Flammable liquids (Category 2), H225 Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302

Specific target organ toxicity - single exposure (Category 2), Eyes, H371

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Labelling according to CLASS regulations 2013

Pictogram

Signal word Danger

Merck

Millipore- 1.10306 Page 1 of 12

Hazard statement(s)

H225 Highly flammable liquid and vapor.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H371 May cause damage to organs (Eyes).

Precautionary statement(s)

Prevention

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P233 Keep container tightly closed.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

Reduced Labeling (<= 125 ml)

Pictogram



Signal word Danger
Hazard statement(s) none
Precautionary none

statement(s)

Refer to the Safety Data Sheet before use.

2.3 Other hazards - none

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Mixture

3.2 Mixtures

Hazardous ingredients

Component		Classification	Concentration
phosphoric acid			
CAS-No. EC-No. Index-No.	7664-38-2 231-633-2 015-011-00-6	Met. Corr. 1; Acute Tox. 4; 1B; 1; H290, H302, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; >= 25 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit. 2, H315; 10 - < 25 %: Eye Irrit. 2, H319;	
Methanol			
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	>= 5 - < 10
EC-No.	200-659-6	STOT SE 1; H225, H301,	%
Index-No.	603-001-00-X	H331, H311, H370	

Millipore- 1.10306 Page 2 of 12



Concentration limits: >= 10 %: STOT SE 1,	
H370; 3 - < 10 %: STOT SE 1, SE 2, H371;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Mixture with combustible ingredients.

Pay attention to flashback.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore- 1.10306 Page 3 of 12



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls and personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
phosphoric acid	7664-38-2	TWA	1 mg/m3	Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

Millipore- 1.10306 Page 4 of 12



Methanol	67-56-1	TWA	200 ppm 262 mg/m3	Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.
	Remarks	Skin		

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested: KCL 741 Dermatril® L

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated. required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

The life science business of Merck operates as MilliporeSigma in

the US and Canada

Do not let product enter drains. Risk of explosion.

Millipore- 1.10306 Page 5 of 12



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: beige

b) Odor weak

c) Odor Threshold No data available

d) pH 0.8 at 20 °C

e) Melting No data available point/freezing point

f) Initial boiling point No data available and boiling range

g) Flash point 50 °C

h) Evaporation rate No data availablei) Flammability (solid, No data available gas)

j) Upper/lower No data available flammability or explosive limits

k) Vapor pressure No data available
 l) Vapor density No data available
 m) Relative density No data available
 n) Water solubility at 20 °C soluble
 o) Partition coefficient: No data available

n-octanol/water

p) Autoignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Millipore- 1.10306

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Page 6 of 12



Metals

metal alloys

Possible formation of:

Hydrogen

Violent reactions possible with:

Bases

metallic oxides

Violent reactions possible with:

The generally known reaction partners of water.

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

Metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Acute toxicity estimate Oral - 1,763 mg/kg (Calculation method)

Acute toxicity estimate Inhalation - 4 h - > 20 mg/l (Calculation method)

Acute toxicity estimate Dermal - > 2,000 mg/kg (Calculation method)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause damage to organs. - Eyes

Millipore- 1.10306 Page 7 of 12

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Not available

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

phosphoric acid

Acute toxicity

LD50 Oral - Rat - 1,250 mg/kg

Remarks:

Lungs, Thorax, or Respiration: Acute pulmonary edema.

Liver: Changes in liver weight.

(RTECS)

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 24 h

Remarks: (ECHA)

(Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Mutagenicity (mammal cell test): chromosome aberration.

Human lymphocytes Result: negative

In vitro mammalian cell gene mutation test

mouse lymphoma cells

Result: negative

Carcinogenicity

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Methanol

Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg

(Expert judgment)

Symptoms: Nausea, Vomiting

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l

(Expert judgment)

Symptoms: Irritation symptoms in the respiratory tract.

Acute toxicity estimate Dermal - 300.1 mg/kg

(Expert judgment)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA)

Drying-out effect resulting in rough and chapped skin.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Ames test

Salmonella typhimurium

Result: negative

In vitro mammalian cell gene mutation test

Chinese hamster lung cells

Result: negative

OECD Test Guideline 474

Mouse - male and female - Bone marrow

Result: negative

Carcinogenicity

Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Causes damage to organs. - Eyes, Central nervous system

Remarks:

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute oral toxicity - Nausea, Vomiting

Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Harmful effect due to pH shift.

Depending on the concentration, phosphorus compounds may contribute to the eutrophication of water supplies.

Discharge into the environment must be avoided.

Components

phosphoric acid

Toxicity to daphnia	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l -
and other aquatic	48 h

invertebrates (OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)

Methanol

Toxicity to fish flow-through test LC50 - Lepomis macrochirus (Bluegill) -

15,400.0 mg/l - 96 h

(US-EPA)

Toxicity to daphnia semi-static test EC50 - Daphnia magna (Water flea) - 18,260

and other aquatic mg/l - 96 h invertebrates (OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green

algae) - ca. 22,000.0 mg/l - 96 h

Millipore- 1.10306 Page 10 of 12

(OECD Test Guideline 201)

Toxicity to bacteria $\,$ static test IC50 - activated sludge - $> 1,000 \,$ mg/l $\,$ - 3 h

(OECD Test Guideline 209)

SECTION 13: Disposal information

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Please contact Kualiti Alam for waste classification and correct disposal method.

SECTION 14: Transportation information

14.1 UN number

ADR/RID: 2924 IMDG: 2924 IATA-DGR: 2924

14.2 UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methanol, phosphoric

acid)

IMDG: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methanol, phosphoric

acid)

IATA-DGR: Flammable liquid, corrosive, n.o.s. (Methanol, phosphoric acid)

14.3 Transport hazard class(es)

ADR/RID: 3 (8) IMDG: 3 (8) IATA-DGR: 3 (8)

14.4 Packaging group

ADR/RID: III IMDG: III IATA-DGR: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA-DGR: no

14.6 Special precautions for user

None

14.7 Incompatible materials

Metals

Other regulations

Hazchem Code : •3W

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Notification status

AICS: On the inventory, or in compliance with the inventory

DSL: All components of this product are on the Canadian DSL

ENCS: On the inventory, or in compliance with the inventory

Millipore- 1.10306 Page 11 of 12



ISHL: Not in compliance with the inventory - water

KECI: On the inventory, or in compliance with the inventory

NZIOC: Not in compliance with the inventory

PICCS: On the inventory, or in compliance with the inventory

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H371	May cause damage to organs.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.10306 Page 12 of 12

